

SD2F-P5 | SD2F-P5L

3-in-1 In-Sink Dishwasher

FOTILE

A BREATH OF FRESH ENGINEERING®



Model Variations



Dishwasher on Right



Dishwasher on Left

Main Features

3-in-1 Top Mount Design


Combining a kitchen sink, dishwasher, and produce cleaner, the In-Sink Dishwasher solves more kitchen problems with **less space and energy**. Its design eliminates bending over to load and unload dishes, ideal for compact spaces.

High Pressure HydroJet Technology

Inspired by military-grade submarine cleaning technology, this advanced system generates **hundreds of billions of cavitation bubbles** to accelerate water flow, effectively removing stubborn bacteria and stains.

15 mins. Wash Cycle

The ultra-fast cleaning cycle completes in just **15 minutes**, perfect for quick and efficient dishwashing. **Eco Mode** conserves energy by using only 1.6 gallons per cycle, ideal for lightly to moderately soiled dishes.



Advanced Produce Washing

Dedicated modes ensure thorough **removal of pesticide residues** from fruits and vegetables, while powerful spray technology tackles stubborn seafood stains, simplifying the enjoyment of favorite dishes.

Odor-Free Storage

The triple drying system with PTC hot air ensures thorough drying and prevents secondary contamination. This is followed by automatic air circulation that keeps items clean and **odor-free for up to 96 hours**.



SD2F-P5 | SD2F-P5L

3-in-1 In-Sink Dishwasher

FOTILE
A BREATH OF FRESH ENGINEERING®

Specifications



Model: SD2F-P5



Model: SD2F-P5L

Style and Design

Dishwasher Placement	Right side	Left side
Tub Material	Stainless Steel	
Material of Washing Basket	Nylon Coating	
Operation Panel	Micro-pressure Waterproof Touchscreen	
Place Setting	4 Sets	
Accommodates Plates Up to	10 inch	
Variable Dish Rack	Yes	
PTC Hot Air Drying	Yes	
Hidden Heating Plate	Yes	
Number of Spray Arms	1	
Dishwasher Air Gap Applicable	Yes	
Protections	Child Lock, Water Leak Protection	

Performance

Washing Mode	Dish Washing				Produce Washing		
	Delicate	Normal	Intensive	ECO	Delicate	Normal	Intensive
Highest Washing Temp.(°F)	140	140	167	126	Room Temperature		
Washing Time(min)	15	60	80	180	7	12	15
Water Consumption(gal/cycle)	1.85	2.0	3.0	1.6	4.2 *	5.2 *	5.8 *
Number of Wash Cycles	3	3	5	3	1	2	3

Technical Specs

Wattage / Current	1500W / 13A
Voltage / Frequency	120V / 60Hz
Water Pressure Range	20.3—145.04 psi
Noise Level	53.5 dB

Warranty Summary

Labor	2 Years
Parts	5 Years (Limited)

*Water consumption for produce washing is shown as a medium load. Water consumption for a full load and a smaller load may vary.
Produce Washing Delicate L:4.0 M:4.2 H:4.5 | Normal L:4.8 M:5.2 H:5.5 | Intensive L:5.4 M:5.8 H:6.2 (Unit: gal./cycle)


SD2F-P5 | SD2F-P5L

3-in-1 In-Sink Dishwasher


FOTILE

A BREATH OF FRESH ENGINEERING®


Product Dimensions[▲] (Unit:inchs)



(Vertical view)



(Side view)



(Rear view)

Product Dimensions / Weight

Width	34 3/4"
Depth	19 15/16"
Height	21 11/16"
Net Weight (approx.)	56.9 lbs.
Gross Weight (approx.)	75 lbs.

Cut-out Dimensions

Width	33 11/16"
Depth	18 15/16"
Corner Radius	R 7/16"

Cabinet Inner Dimensions

Width	≥33 7/8"
Depth	≥20 1/2"
Height [†]	≥35 7/16"

[†]If your garbage disposer has a height greater than 26 7/8", you should expect ≥ (8 9/16" plus the height of your garbage disposer)

[▲]Dimensions drawing on this page shown as SD2F-P5. For SD2F-P5L, flip horizontally.

Accessories: To purchase FOTILE accessories and parts, please visit us at us.fotileglobal.com or call 1(888) 315-0366.

Notes: All length dimensions are shown in inches. FOTILE reserves the absolute and unrestricted right to change product materials and specifications at any time without notice. Consult the product's installation instructions for final dimensional data and other details prior to installation.

Warranties: Please see the user manual or FOTILE website for the statement of limited warranty.

For more information on our entire line of products: visit us.fotileglobal.com or call 1(888) 315-0366.

©2024 FOTILE America LLC. All rights reserved. FOTILE is a registered trademark of FOTILE Group.